



PLAN OF FLAT TOP RAMP
SCALE 1:50



SECTION A-A
SCALE 1:25



SECTION B-B
SCALE 1:25

FIGURE 1A







FIGURE 1B

© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.




- NOTES:
- ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR ROAD WORKS UNLESS OVERRIDDEN BY LOCAL OVERSEEING AUTHORITY'S STANDARDS
 - SUB-BASE MATERIAL SHALL COMPLY WITH CLAUSE 808 GRANULAR MATERIAL TYPE B OF TII'S SPECIFICATION FOR ROAD WORKS (SRW) & SHALL SATISFY THE REQUIREMENTS OF TABLE 6/4 & 6/2.
 - SUB FORMATION & CAPPING MATERIAL SHALL COMPLY WITH CLAUSE 613 OF THE TII'S SPECIFICATION FOR ROAD WORKS & SHALL SATISFY THE REQUIREMENTS OF TABLE 6/1 & 6/2.
 - STONE BLINDING WITH 2-6.5mm AGGREGATE SHALL MEET THE FOLLOWING GRADINGS, IN ACCORDANCE WITH IS EN 13242


BS SIEVE SIZE (mm)	% BY MASS PASSING
14	100
10	98-100
6.3	80-99
2.0	0-20
1.0	0-5
 - ANY ROADS PROPOSED TO BE USED FOR CONSTRUCTION TRAFFIC ARE TO HAVE INCREASED DEPTH OF SUB-BASE FOR THE DURATION OF CONSTRUCTION IN ACCORDANCE WITH DBFL SPECIFICATIONS.
 - ALL WORKS SHALL BE COMPLETED IN ACCORDANCE WITH THE REQUIREMENTS OF THE LOCAL AUTHORITY.
 - ALL GEOTEXTILES TO BE LAID IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS.
 - ALL AGGREGATES PROPOSED FOR USE ON THIS SCHEME SHALL MEET FULLY THE REQUIREMENTS OF THE TII SPECIFICATION FOR ROAD WORKS AND IN ADDITION THE REQUIREMENTS STATED IN STANDARD RECOMMENDATION S.R. 21-2014 GUIDANCE ON THE USE OF U.S. EN 13242-2002 +A1-2007-AGGREGATES FOR UNBOUND AND HYDRAULICALLY BOUND MATERIALS FOR USE IN CIVIL ENGINEERING WORK AND ROAD CONSTRUCTION.
 - ALL REFERENCES TO SERIES 900 OF TII SPECIFICATION REFER TO SERIES 900 DATED DECEMBER 2014.



CONTROLLED DISHED CROSSING WITH TACTILE PAVING
SCALE 1:50




UNCONTROLLED DISHED CROSSING WITH TACTILE PAVING
SCALE 1:50



TYPICAL SECTION THROUGH DISHED CROSSING
SCALE 1:25

FIGURE 1C



TYPICAL SECTION THROUGH PERMEABLE PAVING DRIVEWAY(WHERE APPLICABLE)
SCALE 1:25

FIGURE 1D

REV.	DATE	DESCRIPTION	BY	CHKD.
A	28/09/20	STAGE 3 SUBMISSION	GMC	DMW

PLANNING SHD STAGE 3

DESIGNED: DMW PREPARED: GMC
DATE: MAR 2020 CHECKED: DMW

DBFL Dublin Office: Ormrod House, Upper Ormrod Quay, Dublin 7, Ireland. PHONE: +353 1 400 4000 FAX: +353 1 400 4050
Waterford Office: Unit 2, The Chandlers, 1-2 O'Connell Street, Waterford, Ireland. PHONE: +353 51 308 500 FAX: +353 51 844 813

DBFL Consulting Engineers email: info@dbfl.ie site: www.dbfl.ie

PROJECT
NEWTOWNPARK AVENUE SHD

DRG. TITLE
TYPICAL ROAD CONSTRUCTION DETAILS SHEET 1

ARCHITECT
HENRYJLYONS

SCALE	AS SHOWN @A1	FILE REF.	190146-2005
DRG. NO.	190146-2005		A